

CATEGORY WISE AUTHORISTION ROLL

DEPARTMENT : ELECTRICAL (TRD)

AS ON: 01.4.2015

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
<u>GROUP: C</u>													
<u>Anciliary-I</u>													
5200-20200(2800)	709	TRD	HRS	2	0	0	0	0	2	0	0	0	2
5200-20200(2800)	712	TRD	BP	1	0	0	0	0	1	0	0	0	1
			Sum	3	0	0	0	0	3	0	0	0	3
<u>Anciliary-II</u>													
5200-20200(2400)	709	TRD	HRS	2	0	0	0	0	2	1	0	1	1
			Sum	2	0	0	0	0	2	1	0	1	1
<u>Anciliary-III</u>													
5200-20200(1900)	709	TRD	HRS	1	0	0	0	0	1	3	0	3	-2
5200-20200(1900)	712	TRD	BP	0	0	0	0	0	0	1	0	1	-1
			Sum	1	0	0	0	0	1	4	0	4	-3
<u>Ancilliary (MCM)</u>													
5200-20200(4200)	709	TRD	HRS	1	0	0	0	0	1	0	0	0	1
			Sum	1	0	0	0	0	1	0	0	0	1
<u>Bond Fitter (MCM)</u>													
5200-20200(4200)	708	TRD	BRP	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	712	TRD	BP	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	715	TRD	NKG/OHE	1	0	0	0	0	1	1	0	1	0
			Sum	3	0	0	0	0	3	1	0	1	2
<u>Bond Fitter-I</u>													
5200-20200(2800)	102	TRD	CSZ	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	148	TRD	BSHT	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	707	TRD	RHA	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	708	TRD	BRP	1	0	0	0	0	1	0	0	0	1

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(2800)	708	TRD	SPR/OHE	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	711	TRD	BT	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	712	TRD	BP	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	714	TRD	HLR	1	0	0	0	0	1	0	0	0	1
			Sum	8	0	0	0	0	8	3	0	3	5
<u>Bond Fitter-II</u>													
5200-20200(2400)	102	TRD	CSZ	1	0	0	0	0	1	0	0	0	1
5200-20200(2400)	148	TRD	BSHT	1	0	0	0	0	1	0	0	0	1
5200-20200(2400)	708	TRD	BRP	0	0	0	0	0	0	1	0	1	-1
5200-20200(2400)	709	TRD	SDAH(S)	1	0	0	0	0	1	1	0	1	0
5200-20200(2400)	714	TRD	HLR	0	0	0	0	0	0	0	0	0	0
			Sum	3	0	0	0	0	3	2	0	2	1
<u>Bond Fitter-III</u>													
5200-20200(1900)	102	TRD	CSZ	0	0	0	0	0	0	1	0	1	-1
5200-20200(1900)	103	TRD	DEB	1	0	0	0	0	1	0	0	0	1
5200-20200(1900)	147	TRD	LKPR	1	0	0	0	0	1	1	0	1	0
5200-20200(1900)	148	TRD	BSHT	1	0	0	0	0	1	0	0	0	1
5200-20200(1900)	709	TRD	SDAH(S)	0	0	0	0	0	0	1	0	1	-1
5200-20200(1900)	711	TRD	BT	0	0	0	0	0	0	1	0	1	-1
			Sum	3	0	0	0	0	3	4	0	4	-1
<u>CDM (SSE/Drawing)</u>													
9300-34800(4600)	107	TRD	Sr.DEE/TRD	2	0	0	0	0	2	1	0	1	1
			Sum	2	0	0	0	0	2	1	0	1	1
<u>Ch. OS</u>													
9300-34800(4600)	107	TRD	Sr.DEE/TRD	4	0	0	0	0	4	0	0	0	4
9300-34800(4600)	115	TRD	HRS	1	0	0	0	0	1	0	0	0	1
9300-34800(4600)	121	TRD	BT	1	0	0	0	0	1	0	0	0	1
9300-34800(4600)	121	TRD	SPR/OHE	1	0	0	0	0	1	0	0	0	1

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
Sum				7	0	0	0	0	7	0	0	0	7
<u>Clerk Gr.I</u>													
5200-20200(2800)	102	TRD	CSZ	2	0	0	0	0	2	0	0	0	2
5200-20200(2800)	107	TRD	Sr.DEE/TRD	0	0	0	0	0	0	0	0	0	0
5200-20200(2800)	115	TRD	NKG/OHE	0	0	0	0	0	0	1	0	1	-1
5200-20200(2800)	115	TRD	CTPC	0	0	0	0	0	0	1	0	1	-1
5200-20200(2800)	115	TRD	CONS/SDAH	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	121	TRD	RHA	0	0	0	0	0	0	1	0	1	-1
5200-20200(2800)	121	TRD	BP	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	147	TRD	LKPR	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	148	TRD	BSHT	0	0	0	0	0	0	1	1	2	-2
Sum				5	0	0	0	0	5	4	1	5	0
<u>Clerk Gr.II</u>													
5200-20200(1900)	102	TRD	CSZ	0	0	0	0	0	0	0	0	0	0
5200-20200(1900)	107	TRD	Sr.DEE/TRD	4	0	0	0	0	4	1	0	1	3
5200-20200(1900)	121	TRD	BRP	0	0	0	0	0	0	1	0	1	-1
5200-20200(1900)	121	TRD	BP	0	0	0	0	0	0	1	0	1	-1
5200-20200(1900)	147	TRD	LKPR	0	0	0	0	0	0	1	0	1	-1
Sum				4	0	0	0	0	4	4	0	4	0
<u>DM (JE-II/Drawing)</u>													
9300-34800(4200)	107	TRD	Sr.DEE/TRD	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	115	TRD	CTPC	0	0	0	0	0	0	1	0	1	-1
Sum				1	0	0	0	0	1	2	0	2	-1
<u>Elec. Fitter (PSI)- (MCM)</u>													
5200-20200(4200)	708	TRD	SPR/PSI	2	0	0	0	0	2	0	0	0	2
5200-20200(4200)	713	TRD	NH/PSI	3	0	0	0	0	3	2	0	2	1
5200-20200(4200)	715	TRD	NKG/PSI	3	0	0	0	0	3	1	0	1	2
Sum				8	0	0	0	0	8	3	0	3	5

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
<u>Elec. Fitter (PSI)-I</u>													
5200 - 20200 (2800)	103	TRD	DEB	1	2	0	0	0	3	1	0	1	2
5200-20200(2800)	708	TRD	SPR/PSI	6	2	0	0	0	8	1	0	1	7
5200-20200(2800)	711	TRD	BT	2	0	0	0	0	2	0	0	0	2
5200-20200(2800)	713	TRD	NH/PSI	7	0	0	0	0	7	2	0	2	5
5200-20200(2800)	715	TRD	NKG/PSI	6	0	0	0	0	6	6	0	6	0
			Sum	22	4	0	0	0	26	10	0	10	16
<u>Elec. Fitter (PSI)-II</u>													
5200-20200(2400)	103	TRD	DEB	0	1	0	0	0	1	1	0	1	0
5200-20200(2400)	708	TRD	SPR/PSI	3	0	0	0	0	3	0	0	0	3
5200-20200(2400)	711	TRD	BT	1	0	0	0	0	1	4	0	4	-3
5200-20200(2400)	713	TRD	NH/PSI	3	3	0	0	0	6	7	0	7	-1
5200-20200(2400)	715	TRD	NKG/PSI	3	1	0	0	0	4	0	0	0	4
			Sum	10	5	0	0	0	15	12	0	12	3
<u>Elec. Fitter (PSI)-III</u>													
5200-20200(1900)	103	TRD	DEB	2	3	0	0	0	5	2	0	2	3
5200-20200(1900)	708	TRD	SPR/PSI	1	3	0	0	0	4	4	0	4	0
5200-20200(1900)	711	TRD	BT	1	2	0	0	0	3	1	0	1	2
5200-20200(1900)	713	TRD	NH/PSI	3	0	0	0	0	3	4	0	4	-1
5200-20200(1900)	715	TRD	NKG/PSI	1	2	0	0	0	3	1	0	1	2
			Sum	8	10	0	0	0	18	12	0	12	6
<u>Elec. Fitter (RC)- (MCM)</u>													
5200-20200(4200)	147	TRD	LKPR	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	708	TRD	SPR/RC	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	709	TRD	SDAH/RC	2	1	0	0	0	3	1	0	1	2
5200-20200(4200)	713	TRD	NH/RC	2	0	0	0	0	2	0	0	0	2
			Sum	6	1	0	0	0	7	2	0	2	5
<u>Elec. Fitter (RC)-I</u>													

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(2800)	103	TRD	DEB	2	0	0	0	0	2	0	0	0	2
5200-20200(2800)	708	TRD	SPR/RC	3	0	0	0	0	3	2	0	2	1
5200-20200(2800)	709	TRD	SDAH/RC	8	0	0	0	0	8	0	0	0	8
5200-20200(2800)	713	TRD	NH/RC	2	0	0	0	0	2	1	0	1	1
Sum				15	0	0	0	0	15	3	0	3	12
<u>Elec. Fitter (RC)-II</u>													
5200-20200(2400)	708	TRD	SPR/RC	2	0	0	0	0	2	3	0	3	-1
5200-20200(2400)	709	TRD	SDAH/RC	3	0	0	0	0	3	6	0	6	-3
5200-20200(2400)	713	TRD	NH/RC	2	0	0	0	0	2	0	0	0	2
Sum				7	0	0	0	0	7	9	0	9	-2
<u>Elec. Fitter (RC)-III</u>													
5200-20200(1900)	103	TRD	DEB	1	1	0	0	0	2	1	0	1	1
5200-20200(1900)	708	TRD	SPR/RC	1	1	0	0	0	2	1	0	1	1
5200-20200(1900)	709	TRD	SDAH/RC	2	0	0	0	0	2	5	0	5	-3
5200-20200(1900)	713	TRD	NH/RC	2	0	0	0	0	2	4	0	4	-2
Sum				6	2	0	0	0	8	11	0	11	-3
<u>JUNIOR ENGINEER</u>													
9300-34800(4200)	102	TRD	CSZ	0	1	0	0	0	1	1	0	1	0
9300-34800(4200)	103	TRD	DEB	0	1	0	0	0	1	0	0	0	1
9300-34800(4200)	107	TRD	Sr.DEE/TRD	2	0	0	0	0	2	0	0	0	2
9300-34800(4200)	115	TRD	SDAH(S)	1	0	0	0	0	1	3	0	3	-2
5200-20200(4200)	115	TRD	HRS	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	115	TRD	NKG/OHE	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	115	TRD	CTPC	1	3	0	0	0	4	1	0	1	3
5200-20200(4200)	115	TRD	SDAH/RC	1	0	0	0	0	1	3	0	3	-2
5200-20200(4200)	115	TRD	CONS/SDAH	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	115	TRD	NKG/PSI	1	0	0	0	0	1	0	0	0	1
9300-34800(4200)	121	TRD	BRP	2	1	0	0	0	3	3	0	3	0

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
9300-34800(4200)	121	TRD	BT	2	0	0	0	0	2	3	0	3	-1
9300-34800(4200)	121	TRD	SPR/OHE	2	0	0	0	0	2	1	0	1	1
9300-34800(4200)	121	TRD	HLR	2	0	0	0	0	2	4	0	4	-2
9300-34800(4200)	121	TRD	SPR/PSI	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	121	TRD	NH/PSI	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	121	TRD	BP	1	2	0	0	0	3	2	0	2	1
9300-34800(4200)	121	TRD	RHA	2	0	0	0	0	2	2	0	2	0
9300-34800(4200)	147	TRD	LKPR	2	1	0	0	0	3	3	0	3	0
9300-34800(4200)	148	TRD	BSHT	2	0	0	0	0	2	1	0	1	1
9300-34800(4200)	149	TRD	BGL	1	0	0	0	0	1	0	0	0	1
Sum				27	9	0	0	0	36	31	0	31	5

Linesman (MCM)

5200-20200(4200)	102	TRD	CSZ	1	1	0	0	0	2	0	0	0	2
5200-20200(4200)	103	TRD	DEB	2	0	0	0	0	2	1	0	1	1
5200-20200(4200)	148	TRD	BSHT	2	0	0	0	0	2	1	0	1	1
5200-20200(4200)	707	TRD	RHA	4	0	0	0	0	4	4	0	4	0
5200-20200(4200)	708	TRD	SPR/OHE	3	1	0	0	0	4	2	0	2	2
5200-20200(4200)	708	TRD	BRP	4	1	0	0	0	5	2	0	2	3
5200-20200(4200)	709	TRD	SDAH(S)	4	0	0	0	0	4	2	0	2	2
5200-20200(4200)	711	TRD	BT	4	0	0	0	0	4	0	0	0	4
5200-20200(4200)	712	TRD	BP	3	0	0	0	0	3	2	0	2	1
5200-20200(4200)	714	TRD	HLR	4	0	0	0	0	4	2	0	2	2
5200-20200(4200)	715	TRD	NKG/OHE	4	0	0	0	0	4	2	0	2	2
Sum				35	3	0	0	0	38	18	0	18	20

Linesman-I

5200-20200(2800)	102	TRD	CSZ	3	5	0	0	0	8	5	0	5	3
5200-20200(2800)	103	TRD	DEB	3	3	0	0	0	6	5	0	5	1
5200-20200(2800)	147	TRD	LKPR	7	0	0	0	0	7	7	0	7	0
5200-20200(2800)	148	TRD	BSHT	6	0	0	0	0	6	5	0	5	1

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(2800)	149	TRD	BGL	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	707	TRD	RHA	12	0	0	0	0	12	5	0	5	7
5200-20200(2800)	708	TRD	SPR/OHE	9	0	0	0	0	9	4	0	4	5
5200-20200(2800)	708	TRD	BRP	10	2	0	0	0	12	9	0	9	3
5200-20200(2800)	709	TRD	SDAH(S)	10	2	0	0	0	12	8	0	8	4
5200-20200(2800)	709	TRD	HRS	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	710	TRD	CONS/SDAH	4	0	0	0	0	4	1	0	1	3
5200-20200(2800)	711	TRD	BT	11	0	0	0	0	11	1	0	1	10
5200-20200(2800)	712	TRD	BP	9	2	0	0	0	11	4	0	4	7
5200-20200(2800)	714	TRD	HLR	11	0	0	0	0	11	5	0	5	6
5200-20200(2800)	715	TRD	NKG/OHE	11	0	0	0	0	11	10	0	10	1
			Sum	108	14	0	0	0	122	70	0	70	52
<u>Linesman-II</u>													
5200-20200(2400)	102	TRD	CSZ	0	4	0	0	0	4	3	0	3	1
5200-20200(2400)	103	TRD	DEB	0	2	0	0	0	2	1	0	1	1
5200-20200(2400)	147	TRD	LKPR	4	0	0	0	0	4	2	0	2	2
5200-20200(2400)	148	TRD	BSHT	3	0	0	0	0	3	3	0	3	0
5200-20200(2400)	149	TRD	BGL	1	0	0	0	0	1	0	0	0	1
5200-20200(2400)	707	TRD	RHA	6	0	0	0	0	6	12	0	12	-6
5200-20200(2400)	708	TRD	SPR/OHE	4	0	0	0	0	4	2	0	2	2
5200-20200(2400)	708	TRD	BRP	5	0	0	0	0	5	7	0	7	-2
5200-20200(2400)	709	TRD	SDAH(S)	5	0	0	0	0	5	12	0	12	-7
5200-20200(2400)	710	TRD	CONS/SDAH	3	0	0	0	0	3	5	0	5	-2
5200-20200(2400)	711	TRD	BT	5	0	0	0	0	5	5	0	5	0
5200-20200(2400)	712	TRD	BP	3	1	0	0	0	4	5	0	5	-1
5200-20200(2400)	714	TRD	HLR	5	0	0	0	0	5	3	0	3	2
5200-20200(2400)	715	TRD	NKG/OHE	5	0	0	0	0	5	15	0	15	-10
			Sum	49	7	0	0	0	56	75	0	75	-19
<u>Linesman-III</u>													

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(1900)	102	TRD	CSZ	1	7	0	0	0	8	4	0	4	4
5200-20200(1900)	103	TRD	DEB	1	5	0	0	0	6	1	0	1	5
5200-20200(1900)	147	TRD	LKPR	3	3	0	0	0	6	6	0	6	0
5200-20200(1900)	148	TRD	BSHT	4	1	0	0	0	5	0	0	0	5
5200-20200(1900)	707	TRD	RHA	6	0	0	0	0	6	7	0	7	-1
5200-20200(1900)	708	TRD	SPR/OHE	3	2	0	0	0	5	0	0	0	5
5200-20200(1900)	708	TRD	BRP	6	1	0	0	0	7	0	0	0	7
5200-20200(1900)	709	TRD	SDAH(S)	5	0	0	0	0	5	3	0	3	2
5200-20200(1900)	711	TRD	BT	6	0	0	0	0	6	7	0	7	-1
5200-20200(1900)	712	TRD	BP	3	3	0	0	0	6	3	0	3	3
5200-20200(1900)	713	TRD	NH/PSI	1	0	0	0	0	1	0	0	0	1
5200-20200(1900)	714	TRD	HLR	5	1	0	0	0	6	5	0	5	1
5200-20200(1900)	715	TRD	NKG/OHE	5	1	0	0	0	6	1	0	1	5
			Sum	49	24	0	0	0	73	37	0	37	36
<u>Motor Driver (MCM)</u>													
5200-20200(4200)	709	TRD	HRS	1	0	0	0	0	1	1	0	1	0
			Sum	1	0	0	0	0	1	1	0	1	0
<u>Motor Driver-I</u>													
5200-20200(2800)	709	TRD	HRS	4	0	0	0	0	4	1	0	1	3
			Sum	4	0	0	0	0	4	1	0	1	3
<u>Motor Driver-II</u>													
5200-20200(2400)	709	TRD	HRS	1	0	0	0	0	1	1	0	1	0
5200-20200(2400)	713	TRD	NH/PSI	1	0	0	0	0	1	1	0	1	0
			Sum	2	0	0	0	0	2	2	0	2	0
<u>Motor Driver-III</u>													
5200-20200(1900)	709	TRD	HRS	2	0	0	0	0	2	0	0	0	2
			Sum	2	0	0	0	0	2	0	0	0	2
<u>Motor Mech-(MCM)</u>													

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(4200)	709	TRD	HRS	2	0	0	0	0	2	3	0	3	-1
			Sum	2	0	0	0	0	2	3	0	3	-1
<u>Motor Mech-I</u>													
5200-20200(2800)	709	TRD	HRS	5	0	0	0	0	5	2	0	2	3
			Sum	5	0	0	0	0	5	2	0	2	3
<u>Motor Mech-II</u>													
5200-20200(2400)	709	TRD	HRS	2	0	0	0	0	2	1	0	1	1
			Sum	2	0	0	0	0	2	1	0	1	1
<u>Motor Mech-III</u>													
5200-20200(1900)	709	TRD	HRS	2	0	0	0	0	2	4	0	4	-2
			Sum	2	0	0	0	0	2	4	0	4	-2
<u>OFFICE SUPERINTENDENT</u>													
9300-34800(4200)	107	TRD	Sr.DEE/TRD	8	0	0	0	0	8	7	0	7	1
9300-34800(4200)	115	TRD	CTPC	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	115	TRD	NKG/OHE	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	115	TRD	CONS/SDAH	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	115	TRD	HRS	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	115	TRD	SDAH(S)	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	115	TRD	NKG/PSI	1	0	0	0	0	1	0	0	0	1
9300-34800(4200)	121	TRD	HLR	1	0	0	0	0	1	1	0	1	0
9300-34800(4200)	121	TRD	BRP	1	0	0	0	0	1	0	0	0	1
9300-34800(4200)	121	TRD	SPR/OHE	0	0	0	0	0	0	1	0	1	-1
9300-34800(4200)	121	TRD	NH/PSI	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	121	TRD	BT	0	0	0	0	0	0	1	0	1	-1
9300-34800(4200)	121	TRD	RHA	1	0	0	0	0	1	0	0	0	1
9300-34800(4200)	148	TRD	BSHT	1	0	0	0	0	1	0	0	0	1
			Sum	19	0	0	0	0	19	14	0	14	5

Painter (MCM)

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(4200)	709	TRD	SDAH(S)	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	711	TRD	BT	1	0	0	0	0	1	0	0	0	1
			Sum	2	0	0	0	0	2	0	0	0	2
<u>Painter-I</u>													
5200-20200(2800)	102	TRD	CSZ	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	708	TRD	BRP	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	713	TRD	NH/PSI	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	715	TRD	NKG/PSI	1	0	0	0	0	1	0	0	0	1
5200-20200(2800)	715	TRD	NKG/OHE	1	0	0	0	0	1	0	0	0	1
			Sum	5	0	0	0	0	5	1	0	1	4
<u>Painter-II</u>													
5200-20200(2400)	712	TRD	BP	1	0	0	0	0	1	1	0	1	0
5200-20200(2400)	714	TRD	HLR	1	0	0	0	0	1	1	0	1	0
			Sum	2	0	0	0	0	2	2	0	2	0
<u>Painter-III</u>													
5200-20200(1900)	707	TRD	RHA	0	0	0	0	0	0	0	0	0	0
5200-20200(1900)	713	TRD	NH/PSI	1	0	0	0	0	1	0	0	0	1
			Sum	1	0	0	0	0	1	0	0	0	1
<u>SSE</u>													
9300-34800(4600)	102	TRD	CSZ	2	1	0	0	0	3	2	0	2	1
9300-34800(4600)	103	TRD	DEB	1	1	0	0	0	2	1	0	1	1
9300-34800(4600)	107	TRD	Sr.DEE/TRD	2	0	0	0	0	2	0	0	0	2
5200-20200(4600)	115	TRD	CONS/SDAH	1	1	0	0	0	2	2	0	2	0
5200-20200(4600)	115	TRD	HRS	2	0	0	0	0	2	2	0	2	0
5200-20200(4600)	115	TRD	NKG/OHE	5	0	0	0	0	5	3	0	3	2
5200-20200(4600)	115	TRD	SDAH/RC	1	1	0	0	0	2	1	0	1	1
9300-34800(4600)	115	TRD	SDAH(S)	5	0	0	0	0	5	1	0	1	4
5200-20200(4600)	115	TRD	NKG/PSI	2	0	0	0	0	2	2	0	2	0

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
9300-34800(4600)	115	TRD	CTPC	11	0	0	0	0	11	7	0	7	4
9300-34800(4600)	121	TRD	SPR/PSI	1	0	0	0	0	1	0	0	0	1
9300-34800(4600)	121	TRD	BP	1	0	0	0	0	1	1	0	1	0
9300-34800(4600)	121	TRD	SPR/OHE	2	0	0	0	0	2	2	0	2	0
9300-34800(4600)	121	TRD	NH/PSI	2	0	0	0	0	2	1	0	1	1
9300-34800(4600)	121	TRD	BRP	2	1	0	0	0	3	2	0	2	1
9300-34800(4600)	121	TRD	RHA	2	1	0	0	0	3	2	0	2	1
9300-34800(4600)	121	TRD	BT	3	0	0	0	0	3	2	0	2	1
9300-34800(4600)	121	TRD	HLR	2	1	0	0	0	3	1	0	1	2
9300-34800(4600)	147	TRD	LKPR	1	0	0	0	0	1	1	0	1	0
9300-34800(4600)	148	TRD	BSHT	2	0	0	0	0	2	2	0	2	0
9300-34800(4600)	149	TRD	BGL	0	0	0	0	0	0	0	0	0	0
Sum				50	7	0	0	0	57	35	0	35	22
<u>Tower Wagon Driver (MCM)</u>													
5200-20200(4200)	700	TRD	BRP	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	700	TRD	SDAH(S)	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	700	TRD	RHA	1	0	0	0	0	1	1	0	1	0
5200-20200(4200)	700	TRD	BT	1	0	0	0	0	1	0	0	0	1
5200-20200(4200)	700	TRD	NKG/OHE	1	0	0	0	0	1	0	0	0	1
Sum				5	0	0	0	0	5	1	0	1	4
<u>Tower Wagon Driver-I</u>													
5200-20200(2800)	700	TRD	RHA	0	2	0	0	0	2	2	0	2	0
5200-20200(2800)	700	TRD	SPR/OHE	1	0	0	0	0	1	2	0	2	-1
5200-20200(2800)	700	TRD	LKPR	1	0	0	0	0	1	1	0	1	0
5200-20200(2800)	700	TRD	HLR	2	0	0	0	0	2	3	0	3	-1
5200-20200(2800)	700	TRD	BP	2	0	0	0	0	2	4	0	4	-2
5200-20200(2800)	700	TRD	BT	2	0	0	0	0	2	4	0	4	-2
5200-20200(2400)	700	TRD	CSZ	1	2	0	0	0	3	2	0	2	1
5200-20200(2800)	700	TRD	NKG/OHE	2	1	0	0	0	3	2	0	2	1

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(2800)	700	TRD	SDAH(S)	2	1	0	0	0	3	2	0	2	1
Sum				13	6	0	0	0	19	22	0	22	-3
<u>Tower Wagon Driver-II</u>													
5200-20200(2800)	700	TRD	BRP	1	1	0	0	0	2	1	0	1	1
5200-20200(2400)	700	TRD	LKPR	2	1	0	0	0	3	1	0	1	2
5200-20200(2400)	700	TRD	RHA	2	0	0	0	0	2	2	0	2	0
5200-20200(2400)	700	TRD	BP	1	1	0	0	0	2	1	0	1	1
5200-20200(2400)	700	TRD	BT	0	1	0	0	0	1	1	0	1	0
5200-20200(2400)	700	TRD	DEB	1	1	0	0	0	2	0	0	0	2
5200-20200(2400)	700	TRD	BSHT	2	1	0	0	0	3	3	0	3	0
5200-20200(2400)	700	TRD	BRP	1	2	0	0	0	3	4	0	4	-1
5200-20200(2400)	700	TRD	SPR/OHE	1	1	0	0	0	2	0	0	0	2
Sum				11	9	0	0	0	20	13	0	13	7
Sum				521	101	0	0	0	622	421	1	422	200

GROUP: D

Chowkider

5200-20200(1800)	102	TRD	CSZ	2	0	0	0	0	2	2	0	2	0
5200-20200(2800)	103	TRD	DEB	2	0	0	0	0	2	0	0	0	2
5200-20200(1800)	147	TRD	LKPR	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	148	TRD	BSHT	1	0	0	0	0	1	1	0	1	0
5200-20200(1800)	707	TRD	RHA	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	708	TRD	BRP	6	0	0	0	0	6	6	0	6	0
5200-20200(1800)	709	TRD	SDAH(S)	3	0	0	0	0	3	1	0	1	2
5200-20200(1800)	709	TRD	HRS	3	0	0	0	0	3	3	0	3	0
5200-20200(1800)	710	TRD	CONS/SDAH	3	0	0	0	0	3	3	0	3	0
5200-20200(1800)	711	TRD	BT	2	0	0	0	0	2	1	0	1	1
5200-20200(1800)	712	TRD	BP	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	713	TRD	NH/PSI	3	0	0	0	0	3	3	0	3	0

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(1800)	714	TRD	HLR	3	0	0	0	0	3	3	0	3	0
5200-20200(1800)	715	TRD	NKG/OHE	3	0	0	0	0	3	3	0	3	0
			Sum	37	0	0	0	0	37	32	0	32	5
<u>Cleaner</u>													
5200-20200(1800)	708	TRD	BRP	0	0	0	0	0	0	0	0	0	0
5200-20200(1800)	709	TRD	HRS	0	0	0	0	0	0	1	0	1	-1
5200-20200(1800)	711	TRD	BT	1	0	0	0	0	1	0	0	0	1
			Sum	1	0	0	0	0	1	1	0	1	0
<u>Dak Khalasi</u>													
5200-20200(1800)	107	TRD	Sr.DEE/TRD	1	0	0	0	0	1	1	0	1	0
			Sum	1	0	0	0	0	1	1	0	1	0
<u>Ferro Printer</u>													
5200-20200(1800)	107	TRD	Sr.DEE/TRD	1	0	0	0	0	1	1	0	1	0
			Sum	1	0	0	0	0	1	1	0	1	0
<u>Khal. Helper</u>													
5200-20200(1800)	102	TRD	CSZ	0	2	0	0	0	2	5	0	5	-3
5200-20200(1800)	102	TRD	CSZ	10	0	0	0	0	10	5	0	5	5
5200-20200(1800)	103	TRD	DEB	8	0	0	0	0	8	3	0	3	5
5200-20200(1800)	103	TRD	DEB	0	2	0	0	0	2	5	0	5	-3
5200-20200(1800)	107	TRD	Sr.DEE/TRD	0	3	0	0	0	3	3	0	3	0
5200-20200(1800)	147	TRD	LKPR	2	0	0	0	0	2	5	0	5	-3
5200-20200(1800)	147	TRD	LKPR	9	0	0	0	0	9	4	0	4	5
5200-20200(1800)	148	TRD	BSHT	6	0	0	0	0	6	3	0	3	3
5200-20200(1800)	148	TRD	BSHT	2	0	0	0	0	2	5	0	5	-3
5200-20200(1800)	149	TRD	BGL	0	0	0	0	0	0	0	0	0	0
5200-20200(1800)	149	TRD	BGL	0	0	0	0	0	0	0	0	0	0
5200-20200(1800)	707	TRD	RHA	1	3	0	0	0	4	4	0	4	0
5200-20200(1800)	707	TRD	RHA	12	0	0	0	0	12	6	0	6	6

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
5200-20200(1800)	708	TRD	BRP	8	0	0	0	0	8	7	0	7	1
5200-20200(1800)	708	TRD	BRP	1	2	0	0	0	3	4	0	4	-1
5200-20200(1800)	708	TRD	SPR/OHE	1	1	0	0	0	2	3	0	3	-1
5200-20200(1800)	708	TRD	SPR/PSI	7	0	0	0	0	7	4	0	4	3
5200-20200(1800)	708	TRD	SPR/OHE	8	0	0	0	0	8	8	0	8	0
5200-20200(1800)	708	TRD	SPR/PSI	0	2	0	0	0	2	4	0	4	-2
5200-20200(1800)	709	TRD	SDAH(S)	14	0	0	0	0	14	7	0	7	7
5200-20200(1800)	709	TRD	HRS	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	709	TRD	SDAH/RC	6	0	0	0	0	6	1	0	1	5
5200-20200(1800)	709	TRD	SDAH(S)	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	709	TRD	HRS	9	0	0	0	0	9	8	0	8	1
5200-20200(1800)	709	TRD	SDAH/RC	0	1	0	0	0	1	2	0	2	-1
5200-20200(1800)	709	TRD	CTPC	7	0	0	0	0	7	1	0	1	6
5200-20200(1800)	709	TRD	CTPC	1	0	0	0	0	1	4	0	4	-3
5200-20200(1800)	710	TRD	CON/SDAH	1	0	0	0	0	1	1	0	1	0
5200-20200(1800)	710	TRD	CONS/SDAH	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	711	TRD	BT	2	1	0	0	0	3	5	0	5	-2
5200-20200(1800)	711	TRD	BT	14	0	0	0	0	14	13	0	13	1
5200-20200(1800)	712	TRD	BP	1	1	0	0	0	2	9	0	9	-7
5200-20200(1800)	712	TRD	BP	13	0	0	0	0	13	6	0	6	7
5200-20200(1800)	713	TRD	NH/PSI	8	0	0	0	0	8	6	0	6	2
5200-20200(1800)	713	TRD	NH/PSI	0	1	0	0	0	1	4	0	4	-3
5200-20200(1800)	714	TRD	HLR	2	0	0	0	0	2	2	0	2	0
5200-20200(1800)	714	TRD	HLR	13	0	0	0	0	13	9	0	9	4
5200-20200(1800)	715	TRD	NKG/PSI	8	0	0	0	0	8	4	0	4	4
5200-20200(1800)	715	TRD	NKG/PSI	0	1	0	0	0	1	3	0	3	-2
5200-20200(1800)	715	TRD	NKG/OHE	12	0	0	0	0	12	11	0	11	1
5200-20200(1800)	715	TRD	NKG/OHE	1	0	0	0	0	1	3	0	3	-2
			Sum	193	20	0	0	0	213	183	0	183	30

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH

SCALE	BILL UNIT	DEPT	STATION	PERM SS	TEMP SS	WC SS	SUPN SS	EX-CADRE	TOT SS	PERM OR	TEMP OR	TOT OR	VAC
<u>Peon</u>													
5200-20200(1800)	107	TRD	Sr.DEE/TRD	3	0	0	0	0	3	3	0	3	0
5200-20200(1800)	115	TRD	CTPC	1	0	0	0	0	1	1	0	1	0
5200-20200(1800)	121	TRD	HLR	1	0	0	0	0	1	1	0	1	0
			Sum	5	0	0	0	0	5	5	0	5	0
<u>Safaiwala</u>													
5200-20200(1800)	707	TRD	RHA	1	0	0	0	0	1	1	0	1	0
5200-20200(1800)	708	TRD	BRP	1	0	0	0	0	1	0	0	0	1
5200-20200(1800)	709	TRD	CTPC	1	0	0	0	0	1	1	0	1	0
5200-20200(1800)	709	TRD	SDAH(S)	1	0	0	0	0	1	2	0	2	-1
5200-20200(1800)	712	TRD	BP	1	0	0	0	0	1	0	0	0	1
5200-20200(1800)	715	TRD	NKG/OHE	1	0	0	0	0	1	0	0	0	1
			Sum	6	0	0	0	0	6	4	0	4	2
<u>Sr. Peon</u>													
5200-20200(1800)	107	TRD	Sr.DEE/TRD	3	0	0	0	0	3	3	0	3	0
5200-20200(2400)	115	TRD	HRS	1	0	0	0	0	1	1	0	1	0
			Sum	4	0	0	0	0	4	4	0	4	0
			Sum	248	20	0	0	0	268	231	0	231	37
			Grand Total	769	121	0	0	0	890	652	1	653	237

Sr. DFM/SDAH

Sr. DEE/TRD/SDAH

for Sr. DPO/SDAH